1

2

1

1

2

1

1

2 3

WHAT IS CLAIMED IS:

1	 An isolated nucleic acid encoding an estrogen-regulated GTP-
2	binding protein gamma-12 subunit protein, wherein the protein comprises the amino acid
3	sequence of SEQ ID NO:1.

- The nucleic acid of claim 1, wherein the nucleic acid is from a 1 2. 2 mouse.
- 3 The nucleic acid of claim 1, wherein the nucleic acid comprises a 1 2 nucleotide sequence that is at least about 70% identical to SEQ ID NO:2 or 3.
 - The nucleic acid of claim 1, wherein the nucleic acid comprises the 4 nucleotide sequence of SEO ID NO:2 or 3.
 - An expression cassette comprising the nucleic acid of claim 1. 5.
- 6. An isolated eukaryotic cell comprising the expression cassette of 1 2 claim 5
 - 7 An isolated estrogen-regulated GTP-binding protein gamma-12 subunit protein, wherein the protein comprises the amino acid sequence of SEQ ID NO:1.
 - The protein of claim 7, wherein the protein is a mouse protein. 8.
- 1 9. An antibody that selectively binds to the estrogen-regulated GTPbinding protein gamma-12 subunit protein of claim 7, wherein the antibody does not bind 2 to the estrogen-regulated GTP-binding protein gamma-12 subunit protein having the 3 amino acid sequence of SEQ ID NO:4. 4
 - A method of modulating estrogen signaling in a mammalian cell, the method comprising modulating the level of expression or activity of an estrogenregulated GTP-binding protein gamma-12 subunit protein.
- The method of claim 10, wherein said level of expression of said 1 11. estrogen-regulated GTP-binding protein gamma-12 subunit protein is modulated by 2 introducing a polynucleotide into said cell, whereby the presence or expression of said 3 polynucleotide modulates said level of expression of said estrogen-regulated GTP-4 binding protein gamma-12 subunit protein.
- 5

2

4

1

2

1

2

1

1

2

1

2

3

1	12. The method of claim 11, wherein said polynucleotide encodes a			
2	full-length estrogen-regulated GTP-binding protein gamma-12 subunit protein, and			
3	wherein expression of said polynucleotide increases said level of expression of said			
4	estrogen-regulated GTP-binding protein gamma-12 subunit protein.			
1	12 The method of claim 11 wherein said nolymusleotide is an			

- 13. The method of claim 11, wherein said polynucleotide is an antisense sequence, and wherein the presence or expression of said polynucleotide decreases said level of expression of said estrogen-regulated GTP-binding protein gamma-12 subunit protein.
- 14. The method of claim 10, wherein a compound is administered to said cell, whereby said level of said expression or activity of said estrogen-regulated GTP-binding protein gamma-12 subunit is modulated.
- The method of claim 10, wherein the estrogen signaling is mediated by an estrogen receptor alpha.
 - The method of claim 10, wherein the cell is present in a mammal.
- The method of claim 16, wherein the cell is a vascular smooth muscle cell or a vascular endothelial cell.
- 1 18. The method of claim 16, wherein said level of expression or
 2 activity of said estrogen-regulated GTP-binding protein gamma-12 subunit protein is
 3 increased, whereby the development of atherosclerosis, osteoporosis, Alzheimer's disease
 4 or Parkinson's disease is inhibited in said mammal.
 - 19. A method of detecting the presence of estrogen signaling in a mammalian cell, the method comprising detecting the expression of a nucleic acid encoding an estrogen-regulated GTP-binding protein gamma-12 subunit protein.
- 1 20. The method of claim 19, wherein said nucleic acid is the nucleic 2 acid of claim 1.
- 1 21. The method of claim 19, wherein said presence of estrogen signaling in said cell is used in order to determine the responsiveness of said cell to estrogen.

1

2

1		22.	The method of claim 19, wherein said presence of estrogen		
2	signaling in said cell is used in order to determine the tissue-specific distribution of				
3	estrogen signaling in a mammal.				
1		23.	The method of claim 19, wherein said expression of said nucleic		
2			ected by detecting the expression or activity of an estrogen-		
3	regulated GTP-binding protein gamma-12 subunit protein.				
J	regulated G11	-oman	ig protein gamma 12 susume protein.		
1		24.	The method of claim 19, wherein said protein is the protein of		
2	claim 7.				
		25	The method of claim 19, wherein said expression of said nucleic		
1		25.			
2	acid in said cell is detected by detecting the level of estrogen-regulated GTP-binding				
3 protein gamma-12 subunit mRNA in said cell.					
1		26.	The method of claim 19, wherein the estrogen signaling is		
2	mediated by an estrogen receptor alpha.				
1		27.	A method of identifying a compound capable of acting as an		
2	estrogen receptor agonist or antagonist, the method comprising:				
3	(1) contacting a cell comprising an estrogen receptor with said compound;				
4	and				
5		(2) de	termining the functional effect of said compound on said cell,		
6	wherein an increase in the level of estrogen-regulated GTP-binding protein gamma-12				
7	subunit mRNA, protein or protein activity in said cell indicates that said compound is				
8	capable of acting as an estrogen receptor agonist, and wherein a decrease in the level of				
9	estrogen-regulated GTP-binding protein gamma-12 subunit mRNA, protein or protein				
10	activity in said cell indicates that said compound is capable of acting as an estrogen				
11	receptor antagonist.				

1 28. The method of claim 27, wherein the estrogen receptor is an 2 estrogen receptor alpha.

 The method of claim 27, wherein said estrogen-regulated GTPbinding protein gamma-12 subunit mRNA has the sequence of SEQ ID NO:1, or wherein

- 3 said estrogen-regulated GTP-binding protein gamma-12 subunit protein comprises the
- 4 amino acid sequence of SEQ ID No:2 or 3.